SUBJECT INDEX

Absortion Edge 187-198
Acoustic Optics 106
Acoustic Vibrations 201, 203-214
  see B and B-rich borides
  structural family 205-214
  free carriers 231-214
Activation Energy 233-234, 250
Alexandrite Rods 28
Aluminates 84-97, 101, 104-105
Ambient He Gas Pressure 10-11, 17
Anderson-Gruneisen Parameter 358
Ansell-Lenel Theory 270
Antiferromagnetic 96
Anti-Phase Boundary (APB) 160
Auerbach Law 253

Band Gaps 189, 198-201
Band Structure 188
Bend Tests 244-255
Berkovich Pyramid 309, 312, 325
β-alumina Compounds 85, 93
Borides 16, 18
  rare-earth hexaborides 16
  transition metal diborides 16-17
  B and B-rich 179-215
Boron Crystals, structural family
  α-rhombohedral 205-207, 344, 347, 351-352, 356, 358-359
  β-rhombohedral 207-209, 346-347, 348-351, 360
  α-tetragonal 210-212, 344-355 348, 359
  β-tetragonal 211-212
  orthorhombic 211-212
  Y66 213
  metal hexaborides 213
  metal dodecaborides 213-214
Boron Crystals 341-360
  preparation 342
  refinement 342-343
  crystal structure 343-347
  growth forms 347-360
  structural imperfections 351
  vacant lattice sites 351
  impurity atoms 351-352
  linean dislocations 352
  2-D, stacking faults 352
    twins 352-354
  anisotropy of properties 354-356
  anomalies of T spectrum 356-360
  physical properties 357-359
Boron and Boron-Rich Borides
  Optical Properties 179-215
    structural family 180-185
    optical measurements 185-198
    band gap 198-201
    lattice vibrations 203-213
    acoustic vibrations 203-213
Boussinesq Equation 290, 313
Bridgman Method 41, 169
Brillouin Zone 188
Brittle Damage Zone 308-309, 314, 321
Brittle Fracture 238-241, 244, 258-260 263, 280, 282-283, 307-313, 319-323
Brittle Materials 293-294, 306, 310 314-316, 321-330
Brittleness, Cold 233, 238-241, 244-248, 256, 263-267, 271-272
Brittleness Criterion 232
Brittleness "Least" 330
Brittleness Micro-
  see Microbrittleness 314-327

Carbides 1-18, 170
Cathodoluminescence 231, 242
Cemented Carbides 1, 4
Ceramic Superconductors 166
Cold Brittleness 233, 238-241 244-248, 256, 263-267, 271-272
Contraction Cavities 350
Covalent Interatomic Bonds
  Deformation and Rupture of Crystals 225-272
    physical properties 225-227
    slipping systems 229, 244, 250
    dislocations 229-233, 242-244, 255, 264-267, 270
    intrograin laminar relief 231-232
    effect T at high P 232-239

thermoactive process of
plastic deformation 243-244
bend tests 244-248
micromechanical tests 251-259
statistical strength theory 259-263
SiC fibres 262-263
strain hardening 263-267
dispersion strengthening 267-272
Cracks 295, 306-312, 316, 327-328
resistance of materials 308
expansion 310
intrinsic 311
length 311-312
spread 312
strength criteria 312
layer 327-328
Czochralski method 83, 85, 92, 97

Debye Temperature 357, 402, 404
Decahedron 382-383, 385-387
Diamond Structure 225
Dielectrics, isotropic
rare earth garnets 96-97
Dislocations 37, 46-53, 229-233,
242-244, 255, 264-267, 270, 352, 360
Drude-Lorentz Theory 185
Ductile-Brittle Transformation
237-240, 259
Dynamometer 286-287

E F G Technique 38,40
Einstein's Equation 63-64
Elastic Deformation Capacity 296-299
Elastic Impression Diameter 303
Elastic Macroindentation of
Sphere 301-302, 313
Elastic Plastic Deformation
281-283, 293-296, 308-313, 319-323
Elastic Properties
refractory compounds 296-300
boron crystals 358-359
Y M refactory compounds 301
Elastic Rebound Impression 283
Elastic Recovery Impression 294, 301
Electron Diffraction 152, 162
Electron Microprobe 171
Electron Microscopy 158-160
360, 378, 391, 421
E P R studies 365
Etching 242, 244
Euring's Activation Theory 63
Eutectic Mixture 268-270, 347, 357, 372,

Field Electron Emitter 1, 18, 166, 171
Floating Zone Crystal Growth
Monocarbides Transition Metals 1-18
Floating Zone Melting
vertical 343
high vacuum 359
see Zone Levelling Technique 342
Fourier Spectroscopy
instruments 185
Furt's Formula 63

Gallates 97-108
Garnet-Type Compounds 85, 91-93,
96-97, 98, 100, 106-108
rare-earth Al garnets 96-97
Gaseous Laser Reservoirs 29
Gauge Blocks (Jo-Blocks) 305
Gibb's Free Energy 144, 147-152,
154, 157
Goldschmidt Radii 163
Griffith Strain, critical 312
Growth Front, High T
Crystallisation 57-79
Gruneisen Parameter 358

de Haas-van-Alphen
Oscillations 18
Hall-Petch Equation 265
Hardness Tests For
Refractory Compounds
226-227, 235, 242-243, 248-249, 251
Vickers test 287, 289, 291,
293-294, 297-301, 309-312
temperature dependence
235, 248-249
selective etching 242
microindenting technique
251-255
Hertz Equation 301-302, 313
"Hertzian" Cracks 259
High Dispersal Powders
Refractory Compounds 368-390
preparation 368-369
composition 369-371
TiN and AlN 371-376
SAD patterns 376-384, 389
394, 397-398
plaqued crystals 379-381
395, 397, 423-424, 429
rod-line concreations 381-384
5-fold symmetry,
twin 382-387
particle 383-390
High Pressure Na lamps 28
High Temperature Crystallisation
Refractory Oxides 59-79
melt 59-61
thermal dissociation
61-66, 70, 73, 79
electrical conductance 63-64
chemical crystallisation 66
dissociative evaporation 66-70, 79
crystal atmosphere 67
interaction melt-container 67-72
growth front 70-72
mass transfer 70-72
inclusions 72-74
heat transfer 74-76
crystal cooling 77-79
High Temperature Laser
Microscope 73
Homogeneity Ranges 164
"Homogeneity Region" 144-157
Horizontal Zone Melting 342
H R E M 158

Icosahedron 382, 385-387
Impact Collision Ion
Scattering Spectroscopy
(I C I S S) 172
Indentation 280-287, 290, 302
method 283
diagram 283-285

tool 290
permanent method 293
Indentors
pyramid 287, 289, 291, 293-294, 297, 303-310, 311
Vickers 297-298, 309, 312
Knoop 297-298, 312
tetrahedral diamond 308, 310
trihedral diamond 310
Berkovich 309, 312, 325
sphere, 303-304
ruby 397
Infra-Red (I R)
lines 357
microscopy 360
phonons 355
active modes 204-205
spectroscopy 242-243
M I R and F I R 205
Integral Optics 106
Inverted Stepanov Technique 26

Johansson Blocks
(Jo-Blocks) 305

Kikuchi Lines 347
Knoop Microindentor 355
Knoop Pyramid 297-299, 312

Langmuir Equation 66
Lanthanoids 84-85, 87, 93, 97, 100, 103
cations 91
"Lanthanoid Compression" 84
Lasers 96
Al-Yttruim garnet 96
Gallium garnet 106
Lattice Vibrations 201-203
Liquid Phase Method 146
Long Range Order (LRO) 159, 179

Mayer Analysis 310
Mayer Relationship 290
Methylene Blue Absorptiometry 4
Melt of Refractory Oxides 60-65
see High T Crystallisation 59-79
Metal-Nonmetal-Solvent Ternary System M-Nm-S 144-146
Microbrittleness 314, 316-319 322-323, 325-327
Microdiffraction Patterns 384
Microhardness 251, 264-265, 280-282 297-299, 306-308, 313-317, 322-327
Microhardness Meters 280, 284-289
scherometers 284-289
piezo electric drive 284-287
universal testing machine 286-288
reliability of test 289, 290-293
Microindentation Methods 244 251, 272
Micromechanical Tests 314-317, 322
Micromechanics of
Refractory Compounds 279-322
scherometric test 280-295
elastic properties 296-306
brittleness 306-330
standard point 330
material, different
ionicity numbers 331

Micromonocrystals Of
Refractory Compounds 367-430
see High Dispersal Powders 368-390
high T gas flow method 372-373, 389, 391, 395, 401, 428
granulometric composition
TiN 390
ARN whiskers 391-395
fine powder composition 395-397
TiN and AlN 398-99
real structure microcrystals 399-405
atom, near surface region 399-405
micro deformation 405-406, 410
elastic properties,
anisotropy 407, 409
specific surface 408-410
thermal treatment 411-430
TiN 411-420
AlN 416, 420-423
powder composition (PC) 423-428
Microstrength 314-315, 320 322-323, 325-327
Monocarbides of IVa, Va, and VIa
Transition Metals 1-18
experimental 1-3
zone levelling 4-6
single crystals ZrC_x 6-8
characteristic 9-12
single crystals wC 13-16
comparison borides 16
Mott Transition 357

Neutron Diffraction 158-159, 162, 164, 403-405
Non-linear Optics 40, 96
Nitrides 170

Orowan Equation 270
Orthoaluminates 85, 89, 90-91, 96
metastable 92
$EuAlO_3$, $PrAlO_3$ 96
Orthogallates 97, 102
Orthophosphates 108
Orthorhombic borides 184-185, 196, 211-212

Paramagnetics 96
Perovskite Structure 85, 89, 91, 97-98, 100
Pierls-Nabarro Stress 232-233, 243
Plaqued Crystals 379-381
Plasma, chemical processes 369-371
synthesis 369-371
technology 369
treatment 359
Powder Composition
(PC) 423-428
Powder Dispersion
ultrasound 378
Pressure Shaping 266
Pycnometric Density 417-418, 421
Pyrolysis 347

Raman Active Phonons 355
Raman Spectra 207, 209
"Rapid" Recrystallisation 271-272

Rare-Earth Oxide Compounds 81-141
preparation 82-83
chemical transport 82-83
fluxed melt 83, 85, 97
Czochralski method 83, 85, 92, 97
aluminates 84-97, 103-108
orthoaluminates 89-91
garnet structure 91-93, 103
gallates 97-108
orthogallates 102
orthophosphates 108-126
oxophosphates 110-112
Refractory Compounds
see Covalent Interatomic Bonds 225-277
see High T Crystallisation 59-80
see Micromechanics 279-339
see Micromonocrystals 367-438
see Shaped Single Crystals 16-67
see Stoichiometric and Structural Defects 143-178
see Boron crystals 341-365
see Boron and Boron-rich Borides 179-223
see Monocarbides IVa, Va, VIa Transition Metals 1-18
see Rare Earth Oxide Compounds 81-141
group light elements 157
rare-earth elements 157-160
ternary non-stoichiometric 165-166
Refractory Oxides
see High T Crystallisation 59-79
Rel Rods 381-384
Resistance Heating 34
Ribbon-shaped Crystals 29, 38-40
Roentgenography Technique 231
Ruby Rods 28
Rupture Strength 232

Sapphire Crystals
α-Al_2O_3 shaped 28-37
dislocations 37
β-Al_2O_3 37
Sara's Phase Diagram 13
Satellite Spots 377-379
Scandium Oxide Crystals
Sc_2O_3 Shaped 38
Scherometry 280-283
tests 281-282, 284-289, 293, 314 322, 326, 328-329
interferograms 282
meters 284-289
piezoelectric drive 284-286
Selected Area Diffraction (SAD) 376-384, 389, 394, 397-398
Shaped Single Crystals 19-53
Stepanov methods 20-29, 32-33, 48
shaper material 23-25, 30
growth 27-29
shaper design 31-34
voids 34-36, 46
filamentary 34
ribbon-shaped 38-40
rods 39
control structural defects 43-53
inclusions 43-46
twinning 46
dislocations 46-53
thermoelastic stress 47-53
inverted Stepanov 26
materials used 37-43
Shape Memory Effect 41
Shear Strength 232
Short Range Order (SRO) 159-160, 162
Silicon Carbide, SiC
fibre specimens 262
micromechanical properties 321-330
secondary structure 322
sphalerite (β-SiC) 324
wurtzite (α-SiC) 324
doping 324-325
single crystals 325-327
damaged crack layer 327-329
Slip Systems 229
Solid State Laser
Pumping Systems 28-29
Solution Methods 144-146, 171
Specific Failure Work 312
Stacking Faults 252, 378, 380
Stepanov Capillary Action
Shaping Technique 20-29, 32-33, 48
Strain Intensity Coefficient 312, 314
Stoichiometry and Structural
Defects, Refractory Compounds 143-178
stoichiometric composition 143-146
M-Nm-S ternary system 144-146, 153
solution method 144-148
borides, carbides, silicides of transition metals 148
liquid phase method 146, 149-155
homogeneity region 146-154, 157
Gibbs's Free Energy curve 149-152
mono carbides 152-153
other methods 154-156
chemical analysis 154-156
point defects 157-158
crystal chemistry 158-159
ccp metal sublattice 159
hcp metal sublattice 162-163
defect structures 159-161
boride structures 163-166
electron transport 166-167
safer conductivity 167-171
surface properties 171-172
Super-Hard Brittle Materials 306-307, 314, 321-330
Super Conductivity 166-171
"heavy fermion" 169
Super Conducting
Transition Temperature 166
Super Cooling 149, 154, 156
Super Elasticity 41-42
Super Rapid Quenching 93
Super Structures 159, 161, 168
Surface Acoustic Wave
devices 40
Synchrotron Radiation
monochromatic crystal 214

T E M 264
Thermal Capacity 96-97, 357, 402, 404
Thermal Conductivity 96-97
Thermo-Elastic Stresses 47-53

Thermionic Electron Emitters 166
Thermo Nuclear Fusion Reactors
  wall material 166
Thermo Regulators,
  high T 29
Thyristor Voltage Regulator 34
Time-of-Flight Method 201
Transition Metals 1-18, 225-277
  see Monocarbides 1-18
Transport Properties 179-180
Twinning 46, 346, 348, 352-353, 360
  5-fold symmetry 382-387
  interlayers 380
  multiple particles 382

Ultrafine Particles 370
Ultra sound 378, 410

Vacuum Melting 342
Verneuil Crystal Scrap 30, 36
Vickers Diamond Pyramid
  Hardness Test 255, 287, 289, 291,
    293-294, 297-301, 309-312
Viscosity Criterion 307-308
Viscous Flow 63
V L S method 359

Weibull Theory 260, 262-263
Weightlessness 26
Whiskers 342, 347-349, 372
Window Transparency 357

X-ray Diffraction 157-160, 164, 230,
    250, 343, 350 355, 357, 389, 393,
    401, 404-405 417-418
  Lane 243, 350-352
  Powder 350
  lattice spacings 228
  monochromatic crystal
    soft region 214
  phase analysis 393-394
X-ray Fluorescence 171
  photoelectron spectrum
    (XPS) 140
  Raman scattering 187
  spectroscopy 403
X-ray Topography 12, 242,
    353, 360

Young's Modulus 291-292, 296
    298-299, 300-306, 313, 321
  high value 226, 253

Zone Levelling Technique
    1, 4-18
Zone Melting Technique
    154, 342, 353
  carbide crystals 156

COMPOUND INDEX

Ag 294, 349
Al 20, 267, 324, 326-327, 351
AlB_2 164
  -AlB_{12} 183, 331
  -AlB_{12} 182
$Al_3B_{48}Si$ 331
$Al_{1.1}Be_{0.7}B_{22}$ 183
$Al_3C_2B_{48}$ 331
$Al_{1.00}Cu_{0.79}B_{25}$ 183
AlN 371, 390-298, 420-430
Al_2O_3 20, 24-25, 28-37, 61-78, 234, 250-251, 255, 331
α-Al_2O_3 28-37, 47
β-Al_2O_3 37-38, 49-51
Ar 11, 17, 38-42
As 351
Au 349, 372

B 1, 6, 13-14, 16-17, 30 181, 324, 326-327, 341-360
α-B 342-344, 351
β-B 342-343
α-rhomb B 344, 347, 351-352 356, 358-359
β-rhomb B 346-347, 351-354, 360
tetragonal B 342-345
B_6As 181
$B_{13}As_2$ 181
$B_{12}Be$ 182
$B_{24}BeAl$ 182
BBr_3 347, 349
BC 294
B_4C 157, 226, 228-229, 243
$B_4C...B_{10.6}C$ 181
B_8C 183
$B_{12}C_2Al$ 181
$B_{12}C_2Si$ 181
$B_{25}C$ 182
$B_{51}C$ 182
BCl_3 344, 349
BI_3 347
BN 226-230, 241, 251, 255, 292, 310, 331, 342, 349-350
$B_{25}N$ 182
$B_{25}Ni$ 182
B_6O 181
B_6P 181
$B_{13}P_2$ 181
$B_{3-4}Si$ 181
B_4Si 181
$BaCl_2$ 41
BaB_6 184
Be 234, 344, 348
BeO 69
$BiCl_3$ 83
$Bi_{12}SO_{20}$ 28, 38-39

C 7-10, 14, 24, 33, 42 228-230, 234, 241-246, 251 255-256, 331, 344, 351, 359
CO 73, 83
CO_2 73
$Ca(Al,Fe)_2[SiO_4]_2$ 91
CaB_6 184, 228
CaF_2 228-229
$CaTiO_3$ 89
$Ca(Va_4)_2$ 28, 38
$CeCu_2Si_2$ 165-166, 169, 171
$CeRu_3B$ 164
Co 2, 267
CoO 69
Cr 234, 252, 268
$CrB_{1.98}$ 152
Cr_2N 392
Cr_2O_3 67, 69
$CrSi_{(1.98-2.00)}$ 154
$Cr_{1-x}V_xN$ 161
Cu 29, 225, 292, 294, 297 303, 349, 352

Dy 351
Dy_3GaO_6 101

Er 351
$ErAlO_3$ 85
Er_3GaO_6 101-103
$EuAlO_3$ 90, 96

$Eu_4Al_2O_9$ 87
Eu_3GaO_6 101

Fe 2, 24, 170, 292, 303, 352
Fe_3C 234
ε - Fe_2N 162
ε - Fe_3N 162
ζ - Fe_2N 162

GaAs 41-42, 258
$GdAlO_3$ 90, 85
$GdGaO_3$ 102
$GdFeO_3$ 102
$GdGaO_6$ 106
$Gd_3Ga_5O_{12}$ 103, 106-108
$Gd_4Ga_2O_9$ 101
Ge 24, 27, 47, 234, 243, 255, 226

H 39, 66-67, 73, 83, 159, 342, 359, 372
HBr 83
HCl 83
HF 4
H_2O 39, 66
HNO_3 4
H_2SO_4 391
He 10, 11, 17
HfB_2 234
HfC 226
$HfC_{0.92}$ 155
$HfC_{0.97}$ 168
HfC_x 4, 9, 10
Ho 351
Ho_3GaO_6 101
$HoAlO_3$ 85

I_2 83
In 47
InSb 234

La 17
LaB_6 16-17, 164, 166, 172
La_2O_3-Al_2O_3 85-86
$LaAlO_3$ 87, 89, 95
$LaAl_{11}O_{18}$ 95
$La_4Ga_2O_9$ 102
$LiAlB_{14}$ 184
LiF 24-25
$LiNbO_3$ 28, 40, 258
$LiTa_xNb_{1-x}O_3$ 28, 40
Lu 351

Mg 20, 29
$MgAlB_{14}$ 184
Mg_2B_{14} 184
MgO 38, 229, 251, 267
Mn 2, 352
Mn_2SiO_4 28, 39
MnO 69
Mo 24, 30, 32, 34-35 69, 234, 268, 271
$MoB_{2.2}$ 152
$Mo_{1-x}B_3$ (x=0.2) 164
MoB_2 164
Mo_2C 226
Mo_2C_5 331
MoO_2 69
MoO_3 69

N 73, 230, 243, 324, 327, 344, 348, 359, 372, 376, 392, 421
NH_3 371-372, 392
NaB_{15} 184
Na_2O 69
Na_2O_3 38
$NaNO_3$ 24-25
NaB_{15} 184
Nb 24, 69, 234
NbB_2 164
NbC 160, 166, 234, 236, 239, 244, 251, 255-256, 266
$NbC_{0.63}$ 168, 170
$NbC_{0.75}$ 160
$NbC_{0.97}$ 168, 170
NbC_{1-x} 4, 9, 10, 166, 169, 170
$NbC_{0.70-0.95}$ 160
Nb_2C 160
ξ-Nb_2C 162
Nb_4C_3 160
Nb_6C_5 160
NbN 160, 170
γ-NbN 160
δ-NbN 160
β-Nb_2N 160
NbN_x 170
$NbN_{\sim 1}$ 170
Nb_4N_3 161, 170
Nb_4N_5 161, 170
Nb_4N_8 160
Nb_5N_6 160
$NdAlO_3$ 90
$Nd_2Fe_{14}B$ 163
Ni 2, 4, 267, 292, 297, 303
Ni_4Mo 161

O 9, 172, 348, 351, 359, 408-410, 421

P 351
PBr_5 83
PCl_5 83
Pt 24, 39, 349
$PrAlO_3$ 90, 96

ReB_2 164
Ru_2B_3 164

Sb 47
Sc 352
Sc_2C_3 160
Sc_4C_3 160
$Sc_{13}C_{10}$ 160
Sc_2O_3 28, 38, 63
Si 20, 29, 234, 244, 251 255, 256, 258-259, 264-266 292, 294, 297, 303, 351, 372
SiB_6 184
SiC 225-228, 230, 250-251, 255-256, 262, 280, 282, 292, 294, 297, 302-303, 306, 309, 320-330
α-Si_3N_4 228

β-Si_3N_4 228
Si_3N_4 250-251
SmB_6 164
$SmAlO_3$ 90, 95
$Sm_4Al_2O_9$ 102
$SmGaO_3$ 102
$SmGa_5O_{12}$ 103
$Sm_4Ga_2O_9$ 101
SrB_6 184

Ta 24, 69, 234, 294
344, 348
TaB_2 164
TaC 1, 161, 226, 229, 331
$TaC_{0.76}$ 161
$TaC_{0.91}$ 155
$TaC_{0.96}$ 170
$TaC_{0.98}$ 168, 170
TaC_x 4, 9-10
Ta_2C 161
Ta_4C_3 161
Ta_6C_5 161
ε-TaN 161
δ-TaN_{1-x} 161
β-Ta_2N 161
Ta_3N_5 161
Ta_4N_5 161
Ta_5N_6 161
Ta_2O_5 69
$TbAlO_3$ 90
ThB_6 184
$ThCu_2Si_2$ 165
$Th_{1-x}B_6$ 164
Ti 78, 294, 372
TiB_2 229, 234
TiC 1, 166, 171, 229, 231-232
234, 251, 266
TiC_x 4, 9-11, 18, 172
$TiC_{0.63}$ 162
$TiC_{0.76}$ 162
$TiC_{0.79}$ 162
$TiC_{0.96}$ 172
Ti_2C 159-161
Ti_8C_5 159-161
$TiCl_4$ 371-372
TiN 160, 166, 170, 371, 373
389-391, 395, 420, 423-428
δ-TiN 160
$TiN_{0.59}$ 160
$TiN_{0.6}$ 160
TiN_x 169
TiO 144, 407
TiO_2 63, 69
Ti_4O_5 161
TiB_6 184

U 351
UO_2 229

VC_x 4, 9-10
$VC_{0.75-0.95}$ 160
$VC_{0.83}$ 168
$VC_{0.84}$ 160
V_2C 160
V_4C_3 160
V_8C_7 160
V_2O_5 69, 160
$VN_{0.73-0.88}$ 160
δ-$VN_{0.88}$ 160
VN_{1-x} 166, 169
V_9N_4 160
$V_{16}N$ 160

W 2, 24, 30, 34, 38
69, 70, 234, 255
268, 292, 294, 297
303, 372
WB 331
WB_2 152, 164
W_2B_5 320, 329, 331
WC 168, 226, 229, 234
236, 331
W_2C 161
$W_2C_{0.86\pm0.01}$ 162
WO_3 69

$Y_3Al_5O_{12}$ 28
YB_{66} 184
Y_2O_3 32, 63

Zr 24, 351, 352
ZrB_2 234, 255
ZrC 155, 229, 234, 251, 255
266, 329, 331
$ZrC_{0.52-0.71}$ 160
$ZrC_{0.61}$ 160
$ZrC_{0.88}$ 155
$ZrC_{0.97}$ 155, 170
ZrC_x 4, 6-10
ZrN 255
$ZrN_{0.82}$ 170
ZrN_x 160
ZrO_2 32
ZnS 228

Systems

Al-Ti-N 391
Ce-Cu-Si 165
Cu-AlONi-Fe 28
Dy-Lu 97
Er-Lu 85
Er_2O_3-P_2O_5 108
Gd_2O_3-Ga_2O_3 97, 100
Gd_2O_3-P_2O_5 108, 110
La-Eu 85, 87
La-Gd 98
La-Nd 98
La-Lu,Y 87, 97
La_2O_3-P_2O_5 108-109
Ln_2O_3-Ga_2O_3 97-98
Me-(Ti,Al)-N 399
Nd_2O_3-P_2O_5 108
Nd-Yb 98
Nb-N 160
Pt-B 347
Sc-C 160-161
Sc_2O_3-$ScPO_4$ 108, 111
Sm-Er 97-98
Sm-Lu,Y 87
Sm_2O_3-Ga_2O_3 97, 99
Ta-C 161
Ta-N 161
Tb-Ho,Y 85
TaC-$TaAl_3$ 152
Ti-C 160

TiC-$TaAl_3$ 152
Ti-N 395
V-C 160
W-C 161-162
Wc-Co 250
Y_2O_3-P_2O_5 108-109
Y_2O_3-YPO_4 108, 112, 126
Zr-C 160
Zr-N 160

Al-Me-N (Me=Cr, Mo, W) 391-393
Ln $(Al,Ga)_5O_{12}$ 100, Ln (La-Lu)
Ln $(Al,Ga)_2O_9$ 100, Ln (La-Lu)
Ln $(Al,Ga)O_3$ 100, Ln (La-Lu)
Chalcedony 294
Corundum 280, 294, 297, 303, 306, 320
Diamond CBA6 292, 310
Quartz 292, 294, 303, 306
Quartz glass 294, 297
Ruby 292, 294, 303, 306
Sapphire 28-37
Sphalenite 294
Synthetic diamond CB-20 292
10-Zirconium carbide 320

Reproduced with the permission of Pergamon Press Inc., by University Microfilms Inc. Duplication or resale without permission is prohibited.